

G9 Instrument Disinfectant

Page: 1

Compilation date: 28/11/18

Revision date: 07/01/21

Revision No: 7

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: G9 INSTRUMENT DISINFECTANT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC8: Biocidal products (e.g. Disinfectants, pest control).

1.3. Details of the supplier of the safety data sheet

Company name: G9 Chemicals Ltd

24 High Street

Charing

Ashford, Kent, United Kingdom

TN27 0HX

Tel: +44 01580895141 **Fax:** +44 01580895258

Email: info@g9chemicals.co.uk

1.4. Emergency telephone number

Emergency tel: +44 01580895141

Office hours: 08.30 - 17:00 (UK)

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318; Aquatic Chronic 1: H410; Skin Irrit. 2: H315

Most important adverse effects: Causes skin irritation. Causes serious eye damage. Very toxic to aquatic life with long

lasting effects.

2.2. Label elements

Label elements:

UFI: 3X00-W0GP-900K-VWW7

Hazard statements: H315: Causes skin irritation.

H318: Causes serious eye damage.

H410: Very toxic to aquatic life with long lasting effects.

Hazard pictograms: GHS05: Corrosion

GHS09: Environmental







G9 Instrument Disinfectant

Page: 2

Signal words: Danger

Precautionary statements: P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P235: Keep cool.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P410: Protect from sunlight.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ALCOHOLS, C9-11, ETHOXYLATED

| EINECS | CAS | PBT / WEL | CLP Classification | Percent |
|-----------|------------|-----------|--------------------------------------|---------|
| 614-482-0 | 68439-46-3 | - | Acute Tox. 4: H302; Eye Dam. 1: H318 | 1-10% |
| | | | | |

N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-DIAMINE

| 219-145-8 | 2372-82-9 | - | Acute Tox. 3: H301; Skin Corr. 1A: | 1-10% |
|-----------|-----------|---|------------------------------------|-------|
| | | | H314; STOT RE 2: H373; Aquatic | |
| | | | Acute 1: H400; Aquatic Chronic 1: | |
| | | | H410 | |

N,N-DIDECYL-N-METHYL-POLY(OXYETHYL)AMMONIUM PROPIONATE

| - 9 | 94667-33-1 | - | Acute Tox. 4: H302; Skin Corr. 1B: | 1-10% |
|-----|------------|---|--------------------------------------|-------|
| | | | H314; Aquatic Acute 1: H400; Aquatic | |
| | | | Chronic 1: H410 | |

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.



G9 Instrument Disinfectant

Page: 3

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Do not attempt to take action without suitable protective clothing - see section

8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage



G9 Instrument Disinfectant

Page: 4

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): PC8: Biocidal products (e.g. Disinfectants, pest control).

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves. **Eye protection:** Safety glasses. **Skin**

protection: Protective clothing.

Environmental: No special requirement.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State: Liquid Colour: Green

Odour: Fresh aroma pH: 10.00 - 11.00

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.



G9 Instrument Disinfectant

Page: 5

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Not applicable.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ALCOHOLS, C9-11, ETHOXYLATED

| DERMAL | - | LD50 | >2000 | mg/kg |
|--------|---|------|---------------|-------|
| ORAL | - | LD50 | >300 - <=2000 | mg/kg |

N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-DIAMINE

| DERMAL | RAT | LD50 | >2000 | mg/kg |
|--------|-----|------|-------|-------|
| ORAL | RAT | LD50 | 871 | mg/kg |

N,N-DIDECYL-N-METHYL-POLY(OXYETHYL)AMMONIUM PROPIONATE

| ODAL | DAT | 1.050 | 4457 | 4 |
|------|-----|-------|------|-------|
| ORAL | RAT | LD50 | 1157 | mg/kg |

Relevant hazards for product:

| Hazard | Route | Basis |
|-------------------------------|-------|-----------------------|
| Skin corrosion/irritation | DRM | Hazardous: calculated |
| Serious eye damage/irritation | OPT | Hazardous: calculated |

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.



G9 Instrument Disinfectant

Page: 6

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

ALCOHOLS, C9-11, ETHOXYLATED

| ALGAE | 72H IC50 | >10-<=100 | mg/l |
|-------|----------|-----------|------|
| FISH | 72H IC50 | >10-<=100 | mg/l |

N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-DIAMINE

| BLUEGILL (Lepomis macrochirus) | 96H LC50 | 0.45 | mg/l |
|--|-----------|-------|------|
| Daphnia magna | 48H EC50 | 0.073 | mg/l |
| GREEN ALGA (Selenastrum capricornutum) | 96H ErC50 | 0.054 | mg/l |
| RAINBOW TROUT (Oncorhynchus mykiss) | 96H LC50 | 0.68 | mg/l |

N,N-DIDECYL-N-METHYL-POLY(OXYETHYL)AMMONIUM PROPIONATE

| BLUEGILL (Lepomis macrochirus) | 96H LC50 | 0.52 | mg/l |
|--------------------------------|----------|------|------|
| Daphnia magna | 48H EC50 | 0.07 | mg/l |
| ZEBRAFISH (Brachydanio rerio) | 96H LC50 | 0.78 | mg/l |

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.



G9 Instrument Disinfectant

Page: 7

Section 14: Transport information

14.1. UN number

UN number: UN1903

14.2. UN proper shipping name

Shipping name: DISINFECTANT, LIQUID, CORROSIVE, N.O.S.

(N-(3-AMINOPROPYL)-N-DODECYLPROPANE-1,3-DIAMINE)

14.3. Transport hazard class(es)

Transport class: 8

14.4. Packing group

Packing group: III

14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E
Transport category: 3

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation

(EU) 2015/830

* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and s.3: H301: Toxic if swallowed.

H302: Harmful if swallowed.



G9 Instrument Disinfectant

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H373: May cause damage to organs through prolonged or repeated exposure.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be

used only as a guide. This company shall not be held liable for any damage resulting from handling

or from contact with the above product.

Page: 8